

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

ARITHMETIC.

Conducted by B. F. FINKEL, Springfield, Mo. All contributions to this department should be sent to him.

SOLUTIONS OF PROBLEMS.

64. Proposed by J. K. ELLWOOD, A. M., Principal of Colfax School, Pittsburg, Pennsylvania.

If 27 men in 10 days of 7 hours each for \$375 dig a ditch 70 rods long, 25 feet wide, and 4 feet deep, how long a ditch 40 feet wide and 3 feet deep will 15 men dig in 16 days of 9 hours each for \$500?

III. Solution by the PROPOSER.

Mr. Gruber's method is all right except the assumption that the length of the ditch increases as the price paid. The \$375 pays for 1890 hours' labor; at the same rate, \$500 would pay for 2520 hours' work. But there are only 2160 hours worked. Hence, the efficiency must be increased $\frac{1}{6}$. That is, the ditch will be $66\frac{2}{6}$ rods $\times \frac{7}{6} = 77\frac{7}{8}$ rods long.

Or, in another light: Since 1890 hours' labor are worth \$375, 2160 hours' work, at same wages, are worth \$428\frac{4}{7}. But they get \$500, an increase of \frac{1}{7} as before.

In this problem the *time* is limited—fixed—hence the only thing that can vary is the *efficiency* of the workmen. And it seems plain that it must increase as the *hourly* price increases—not as the *gross* price. Suppose

2 men in 1 day of 10 hours for \$20 dig x rods, and

3 men in 2 days of 10 hours for \$40 dig y rods. What is the ratio of y to x?

Can the efficiency, or productiveness, be found without considering the hourly wages?

66. Proposed by F. P. MATZ, M. Sc., Ph. D., Professor of Mathematics and Astronomy in Irving College, Mechanicsburg, Pennsylvania.

Brown adds m=10% of water to the pure wine he buys, and then sells the mixture at a price n=10% greater than the cost price of the pure wine. What is his rate per cent. of profit?

Solution by E. W. MORRELL, Professor of Mathematics in Montpelier Seminary, Montpelier, Vermont.

Let 100%=cost of the wine. Then 110% of 110%=121%, the selling price of the mixture. Hence, 121%-100%=21%, the gain.

67. Proposed by B. F. FINKEL, A. M., Professor of Mathematics and Physics in Drury College, Springfield, Missouri.

A agreed to work a year for \$300 and a suit of clothes. At the end of five months he left, receiving for his wages \$60 and the clothes. What was the suit worth?